



KOREA
HYUNDAI L&C HEADQUARTER

19, Banpo-daero, Seocho-gu, Seoul, Korea (06710)
Tel. +82 2 6364 7677
Email. info.stone@hyundailnc.com
www.hanstone.com

USA
HYUNDAI L&C USA LLC

1760 Corporate Drive Norcross, GA, USA (30093)
Tel. +1 888 426 9421
Email. info@hanstonequartz.com
www.hyundailncusa.com

CANADA
HYUNADI L&C CANADA

2860 Innovation Drive London, Ontario N6M 0C5
Tel. +1 514 630 1100
Email. marketing@hanstonequartz.com
<https://hanstone.ca>

EUROPE
HYUNDAI L&C EUROPE GmbH

Düsseldorfer Str. 13, Eschborn, Germany (65760)
Tel. +49 619 6586 9010
Email. info@hyundailnc.eu
www.hyundailnc.eu

INDIA
HYUNDAI L&C INDIA PVT LTD

Unit No. 101B, 1st Floor, Tower C,
Unitech World Cyber Park,
Sector 39, Guragon, Haryana, India (122001)
Email. ask.india@hyundailnc.com

CHINA
HYUNDAI L&C TRADING (SHANGHAI) CO., LTD

Room 603, Mixc Mall A, Wuzhong Rd 1799,
Minhang Dist, Shanghai, China (201103)
Tel. +86 21 3252 2291
Email. sz.wang@hyundaish.com
www.hyundailnc.cn

2025/26
LIVE BEAUTIFULLY





An elevated choice for refined spaces | Hanstone

Enriching the Spaces You Hold Dear
Hanstone High-End Collection, Rooted in Nature

Contents

N O	K4510	Cremosa	04
N O	K4512	Eden Grey	05
N O	K5408	Boa Vista	06
N O	CR901	Crystal	07
N O	K4504	Rocky Mountain	08
N O	K5407	Tahitian Cream	09
O	K5406	Matterhorn	10
O	SK505	Patagonia	11
O	SK506	Eden	12
N	CC603	Statuario Gold	13
N	CC604	White Macaubas	13
	Premium Stone		14
	Reference		16
	Care & Maintenance		20
	Safety Data Sheet		22



Cremosa

K4510

NEW

OPIMO

A soft, creamy hue with a refined matte texture, Cremosa exudes warmth and sophistication. Its understated elegance creates a tranquil and inviting atmosphere, making it a perfect choice for timeless interiors.

Eden Grey

K4512

NEW

OPIMO

A harmonious blend of gray tones, Eden Grey offers a sense of depth and stability. Its subtle variations evoke a serene and balanced mood, effortlessly complementing both modern and classic spaces.



MATT FINISH

Detail View : 1000 × 650mm



MATT FINISH

Detail View : 1000 × 650mm



Boa Vista

K5408

NEW

OPIMO

The Boa Vista exudes ultimate beauty with dazzling patterns and serene matte surfaces. Its neutral ivory tone ensures easy compatibility with any kitchen color, adding versatility to its aesthetic appeal.

Crystallo

CR901

NEW

OPIMO

Inspired by the purity of fine gemstones, Crystallo radiates an exquisite translucency that becomes even more breathtaking when kissed by light. Its luminous quality enhances any space with an air of sophistication and luxury.



MATT FINISH

Detail View : 1000 x 650mm



POLISHED FINISH

Detail View : 1000 x 650mm



Rocky Mountain

K4504

NEW

OPIMO

Embodying the rugged beauty of the Canadian Rockies, this design features bold, layered patterns that capture the essence of raw natural grandeur. The dynamic textures and organic depth bring an adventurous yet refined character to any setting.

Tahitian Cream

K5407

NEW

OPIMO

To meet the growing demand for a cozy kitchen ambience, this color was designed based on the 'Tahitian Cream (Quartzite)' motif, featuring a warm and deep base accentuated by a luxurious gold vein. The combination creates an elegant and inviting atmosphere for a truly refined culinary space.



POLISHED FINISH

Detail View : 1000 × 650mm



MATT FINISH

Detail View : 1000 × 650mm



Matterhorn

K5406

OPIMO

Bold and strong, Matterhorn mimics the beauty and majesty of this famous mountain with its snow swept peak rising from surrounding glaciers. Matterhorn offers a bold veined pattern with dynamic background color. This combination blends together to offer a rugged yet refined design.



POLISHED FINISH

Detail View : 1000 × 650mm

Patagonia

SK505

OPIMO

Patagonia captures the limitless colors of this mountainous region with its high stone peaks and glacial fjords. The blend of gray tones and translucent qualities in Patagonia is a perfect combination, balancing the cool and warm tones found in nature.



MATT FINISH

Detail View : 1000 × 650mm



Statuario Gold

CC603

NEW

A flawless white canvas adorned with graceful gold veining, Statuario Gold strikes a perfect balance between opulence and warmth. Its timeless elegance elevates interiors, infusing them with a sense of grandeur and sophistication.



POLISHED FINISH

Detail View : 1000 x 650mm

Eden

SK506

OPIMO

Clean and sophisticated, Eden is abundant with natural beauty. With its layered pattern and subtle movement, Eden reflects the clean nature of a fresh snowfall.



MATT FINISH


Detail View : 1000 x 650mm

White Macaubas

CC604

NEW

An exquisite interplay of white and gray hues, delicately woven with distinctive veining, White Macaubas presents a refined aesthetic that transcends trends. Its timeless charm enhances interiors with an air of subtle luxury and sophistication.








POLISHED FINISH

Detail View : 1000 x 650mm

Premium Stone



The detail view size for each product is 650 x 650 mm.





Project : Furniture Retailer (Younglim)
Application : Kitchen Countertop & Wall
Color : K4504 Rocky Mountain



Project : Furniture Retailer (Livart)
Application : Kitchen Countertop & Wall
Color : K5406 Matterhorn / SK506 Eden



Project : Incheon International Airport
Application : Floor & Wall



Project : Furniture Retailer (Livart)
Application : Kitchen Countertop & Wall
Color : W1763 Luna White



Project : Incheon International Airport
Application : Floor & Wall



Project : Apartment Kitchen Interior (The Sharp Sokcho Prime View)
Application : Kitchen Countertop & Wall
Color : SK506 Eden

Care & Maintenance

The maintenance of the Hanstone is not difficult.
It is resistant to stains, scratches, and heat, but it is not completely blocked.
If you follow proper care and maintenance guidelines,
you can maintain the beauty of Hanstone for a long time.



Maintenance

Regular cleaning keeps the Hanstone shiny and radiant.
Clean with a cloth dampened with warm water and a small amount of detergent that does not contain bleach.

-

Hanstone is stain resistant, but it is recommended to clean the spill as soon as possible.
Wipe off liquids, fruits, vegetables, or other food and wipe with soap and water.

-

Matt Finish maintenance

Hanstone matt finish has a new texture that is different from polished finish through special surface processing.
Matte products have curved surfaces to achieve a rough texture of the natural surface, which makes it easier to see scratches, hand marks, metal marks, and other contamination than conventional polished products, requiring frequent maintenance.

However, only pollutants exist on the surface and do not penetrate into the product, and some contamination can be removed through the correct decontamination method.

- Matt products require more routine maintenance than conventional products, as scratches, hand marks, metal marks, and other contamination can easily occur compared to polished products.
- If contamination occurs, remove the contamination immediately with a neutral detergent.



Heat Damage

Hanstone is designed to withstand heat very well and can be exposed to cooking environments for a short period of time without damage.

-

It is more heat resistant than most surface materials on the market,
but can also be damaged by prolonged or sudden temperature changes.

-

When placing a hot frying pan, pan, or other heating appliance on top of the surface,
a tripod or pot stand must be used.



Chemicals

Be careful not to be exposed to strong chemicals that can damage Hanstone.
Avoid paint removers containing trichloroethane or methylene chloride, stain remover, nail polish remover, bleach, furniture sanitizer, soap containing oil, permanent marker or ink.

-

Chemicals to avoid

- Oil soap, cleaning agent, dye, coloring agent, paint diluent, paint remover
- Acetone, manicure, hair spray, bleach
- Allow short-term exposure for cleaning of hard-to-remove stains based on rinsing and removing the application area within 5 minutes
- Chlorinated solutions such as trichloroethylene and methylene chloride
- Benzene, toluene, methyl ethyl ketone
- Concentrated acidic substances such as hydrogen cyanide (clean acid), hydrofluoric acid, hydrochloric acid, sulfuric acid, nitric acid, etc
- Chemicals with high alkali/ph levels (PH>10)



Removal of foreign substances

For hard-to-remove or dry spills, use a cloth that does not cause wear in combination with regular household detergents such as Formula 409 Glass and Surface Cleaner or similar cleaning products.

-

If gum, nail polish, paint, or other material is attached to the surface, it can be removed by gently scratching it using a plastic scraper or putty knife and cleaning it in the same way as regular cleaning.

-

Sanitizer (AKEMI German Products : AKEMI PRO SCRUB): It can efficiently remove contaminants from Hanstone polished and matt finishes.

Safety Data Sheet



Certification Data

Hanstone has various environmental certifications such as NSF, Greenguard, and SCS, and is highly regarded in the field of eco-friendly materials.



Component Composition and Information


Component	% By Weight	CAS #
Synthetic resin (Unsaturated Polyester)	5-20	-
Quartz (SiO2, <0.1mm)	10-50	14808 - 60 - 7
Quartz (SiO2, 0.1-10mm)	10-90	14808 - 60 - 7
Colorant	< 1	Trade secret
Additives	< 1	Trade secret

Technical Information

Property	Standard	Result
Abrasion Resistance (Weight Loss)	ASTM D 4060	1094 mg
Izod Impact Strength	ASTM D 256 (Method A)	13.3 J/m
Boiling Water Resistance	NEMA LD3 200 3.5	No Effect
Colorfastness	ANZI Z124.6.5.1	Pass
Compression Strength (Dry)	ASTM C 170	209 mg
Compression Strength (Wet)	ASTM C 170	203 mg
Density	KSF 2530	2.465 g/cm
Deflection Temperature Under Load (1.8 MPa)	ASTM D 648	243°C
Flammability	- Flame Spread	ASTM E-84, NFPA
	- Smoke Developed	255
Flexural Modules	ASTM D 790	39.7 GPa
Flexural Strength	ASTM D 790	42.4 MPa
Freeze & Thaw Cycling	ASTM C 1026	Unaffected
Fungal & Bacterial Resistance	ASTM G 21	No Growth
Barcol Hardness	ASTM D 2583	86
Rockwell Hardness (HRM)	ASTM D 785 (Procedure A)	115
Point Impact	ANSI Z124.6.4.2.1	Pass
Slip Resistance	- Static Coefficient of Friction (Dry)	ASTM C 1028
	- Static Coefficient of Friction (Wet)	ASTM C 1028
Stain Resistance	ANSI Z124.6.5.2	Pass
Tensile Strength	ASTM D 638	17.8 MPa
Thermal Expansion	ASTM D 696	1.52 X 10 ⁻⁵ in/in/°C
Water Absorption - Long-term & Short-term	ASTM D 570 (24hr. Immersion)	< 0.011%
Wear and Cleanability	ANSI Z124.6.5.3	Pass

* This technical information is designed to provide support in fabrication, installation, and/or to insure performance of HanStone Quartz. The information is based on the technical data which Hyundai Surfaces believes to be reliable and is intended for person or persons having knowledge of this technical area. None of the contents, including but not limited to the instructions, recommendations, graphics, techniques, and guidelines should be understood as implying of legal, warranty, or any type of liability by Hyundai Surfaces and its affiliates.

Size



Thickness

